






# *AngiOptic*

ALL RADIOPAQUE SHAFT CATHETERS






## FLUSH CATHETERS

10 per Box

 <b>Omni Flush</b>		 <b>Pigtail</b>		 <b>Straight</b>		 <b>Racket</b>	
Description	UPN	Description	UPN	Description	UPN	Description	UPN
3F / 45 cm / .025"	□ H787106046015	3F / 45 cm / .025"	□ H787106043015	3F / 45 cm / .025"	□ H787106042015	4F / 65 cm / .035"	□ H787106002015
3F / 55 cm / .025"	□ H787106046025	3F / 55 cm / .025"	□ H787106043025	3F / 55 cm / .025"	□ H787106042025	4F / 90 cm / .035"	□ H787106002025
3F / 65 cm / .025"	□ H787106046035	3F / 65 cm / .025"	□ H787106043035	3F / 65 cm / .025"	□ H787106042035	5F / 65 cm / .035"	□ H787106016015
3F / 90 cm / .025"	□ H787106046045	3F / 90 cm / .025"	□ H787106043045	3F / 90 cm / .025"	□ H787106042045	5F / 65 cm / .038"	□ H787106016045
4F / 65 cm / .035"	□ H787106323015	4F / 65 cm / .035"	□ H787106001015	4F / 65 cm / .035"	□ H787106003015	5F / 90 cm / .035"	□ H787106016025
4F / 90 cm / .035"	□ H787106323025	4F / 90 cm / .035"	□ H787106001025	4F / 90 cm / .035"	□ H787106003025	5F / 90 cm / .038"	□ H787106016055
5F / 65 cm / .035"	□ H787106322015	4F / 100 cm / .035"	□ H787106001045	5F / 65 cm / .035"	□ H787106017015	5F / 100 cm / .035"	□ H787106016035
5F / 65 cm / .038"	□ H787106322035	5F / 65 cm / .035"	□ H787106015015	5F / 65 cm / .038"	□ H787106017035	5F / 100 cm / .038"	□ H787106016065
5F / 90 cm / .035"	□ H787106322025	5F / 65 cm / .038"	□ H787106015035	5F / 90 cm / .035"	□ H787106017025		
5F / 90 cm / .038"	□ H787106322045	5F / 90 cm / .035"	□ H787106015025	5F / 90 cm / .038"	□ H787106017045		
		5F / 90 cm / .038"	□ H787106015045				
		5F / 110 cm / .035"	□ H787106015055				
		5F / 110 cm / .038"	□ H787106015065				

## MINI FLUSH CATHETERS

10 per Box


 <b>Omni Flush Mini</b>		 <b>Pigtail Mini</b>		 <b>Straight Mini</b>	
3F / 65 cm / .025"	□ H787106046055	3F / 65 cm / .025"	□ H787106043065	3F / 65 cm / .025"	□ H787106042055
		4F / 65 cm / .035"	□ H787106001055		

## SELECTIVE CATHETERS



5 per Box

† w/ 2 side holes

†† Tight Curve

 <b>Sos Omni 0</b>		 <b>Sos Omni 1</b>		 <b>Sos Omni 2</b>		 <b>Sos Omni 3</b>	
3F / 80 cm / .025"	□ H787106061015	3F / 80 cm / .025"	□ H787106061025	3F / 80 cm / .025"	□ H787106061035	3F / 80 cm / .025"	□ H787106061045
†3F / 80 cm / .025"	□ H787106047015	†3F / 80 cm / .025"	□ H787106047025	†3F / 80 cm / .025"	□ H787106047035	†3F / 80 cm / .025"	□ H787106047045
4F / 80 cm / .035"	□ H787106077015	4F / 80 cm / .035"	□ H787106077025	4F / 80 cm / .035"	□ H787106077035	4F / 80 cm / .035"	□ H787106077045
†4F / 80 cm / .035"	□ H787106078015	†4F / 80 cm / .035"	□ H787106078025	†4F / 80 cm / .035"	□ H787106078035	†4F / 80 cm / .035"	□ H787106078045
5F / 80 cm / .035"	□ H787106094015	5F / 80 cm / .035"	□ H787106094025	5F / 80 cm / .035"	□ H787106094035	5F / 80 cm / .035"	□ H787106094045
†5F / 80 cm / .035"	□ H787106095015	†5F / 80 cm / .035"	□ H787106095025	†5F / 80 cm / .035"	□ H787106095035	†5F / 80 cm / .035"	□ H787106095045
5F / 80 cm / .038"	□ H787106094055	5F / 80 cm / .038"	□ H787106094065	5F / 80 cm / .038"	□ H787106094075	5F / 80 cm / .038"	□ H787106094085
†5F / 80 cm / .038"	□ H787106095055	†5F / 80 cm / .038"	□ H787106095065	†5F / 80 cm / .038"	□ H787106095075	†5F / 80 cm / .038"	□ H787106095085

 <b>Sos Omni 0 Junior</b>		 <b>Sos Omni 0 Mini T</b>		 <b>Hook 1</b>		 <b>Hook 2</b>	
3F / 65 cm / .025"	□ H787106061055	††3F / 65 cm / .025"	□ H787106061065	3F / 65 cm / .025"	□ H787106053015	3F / 65 cm / .025"	□ H787106053025
4F / 65 cm / .035"	□ H787110607705	††4F / 65 cm / .035"	□ H787106077065	5F / 65 cm / .035"	□ H787106086015	4F / 65 cm / .035"	□ H787106069025
				5F / 65 cm / .038"	□ H787106086035	5F / 65 cm / .035"	□ H787106086025
						5F / 65 cm / .038"	□ H787106086045





# SELECTIVE CATHETERS





Soft Radiopaque Tip





5 per Box




†w/ 2 side holes

††Cobra 2 Mini

 <b>Berenstein</b>		 <b>Cobra 1</b>		 <b>Cobra 2</b>		 <b>Cobra 3</b>	
Description	UPN	Description	UPN	Description	UPN	Description	UPN
3F / 65 cm / .025" □	H787106048025	3F / 65 cm / .025" □	H787106050015	†3F / 65 cm / .025" □	H787106051025	†3F / 65 cm / .025" □	H787106051035
3F / 100 cm / .025" □	H787106048035	†3F / 65 cm / .025" □	H787106051015	†3F / 90 cm / .025" □	H787106051055	†3F / 90 cm / .025" □	H787106051065
4F / 65 cm / .035" □	H787106064025	3F / 90 cm / .025" □	H787106050045	4F / 65 cm / .035" □	H787106066025	4F / 65 cm / .035" □	H787106066035
4F / 100 cm / .035" □	H787106064035	†3F / 90 cm / .025" □	H787106051045	†4F / 65 cm / .035" □	H787106067025	†4F / 65 cm / .035" □	H787106067035
5F / 65 cm / .035" □	H787106081025	4F / 65 cm / .035" □	H787106066015	4F / 90 cm / .035" □	H787106066055	4F / 90 cm / .035" □	H787106066065
5F / 65 cm / .038" □	H787106081065	†4F / 65 cm / .035" □	H787106067015	†4F / 90 cm / .035" □	H787106067055	†4F / 90 cm / .035" □	H787106067065
5F / 65 cm / .046" □	H787106081095	4F / 90 cm / .035" □	H787106066045	5F / 65 cm / .035" □	H787106083025	5F / 65 cm / .035" □	H787106083035
5F / 100 cm / .035" □	H787106081035	†4F / 90 cm / .035" □	H787106067045	†5F / 65 cm / .035" □	H787106084025	†5F / 65 cm / .035" □	H787106084035
5F / 100 cm / .038" □	H787106081075	5F / 65 cm / .035" □	H787106083015	5F / 65 cm / .038" □	H787106083055	5F / 65 cm / .038" □	H787106083065
5F / 110 cm / .035" □	H787106081045	†5F / 65 cm / .035" □	H787106084015	†5F / 65 cm / .038" □	H787106084055	†5F / 65 cm / .038" □	H787106084065
5F / 110 cm / .038" □	H787106081085	5F / 65 cm / .038" □	H787106083045	5F / 90 cm / .035" □	H787106083085	5F / 90 cm / .035" □	H787106083095
		†5F / 65 cm / .038" □	H787106084045	†5F / 90 cm / .035" □	H787106084085	†5F / 90 cm / .035" □	H787106084095
		5F / 90 cm / .035" □	H787106083075	5F / 90 cm / .038" □	H787106083115	5F / 90 cm / .038" □	H787106083125
		†5F / 90 cm / .035" □	H787106084075	†5F / 90 cm / .038" □	H787106084115	†5F / 90 cm / .038" □	H787106084125
		5F / 90 cm / .038" □	H787106083105				
		†5F / 90 cm / .038" □	H787106084105				

 <b>Shepherd Hook 1</b>		 <b>Shepherd Hook 2</b>		 <b>Newton 1</b>		 <b>Newton 2</b>	
3F / 65 cm / .025" □	H787106059015	3F / 65 cm / .025" □	H787106059025	4F / 100 cm / .035" □	H787106073015	4F / 100 cm / .035" □	H787106073025
4F / 65 cm / .035" □	H787106075015	4F / 65 cm / .035" □	H787106075025	5F / 100 cm / .035" □	H787106090015	5F / 100 cm / .035" □	H787106090025
5F / 65 cm / .035" □	H787106092015	5F / 65 cm / .035" □	H787106092025	5F / 100 cm / .038" □	H787106090045	5F / 100 cm / .038" □	H787106090055
5F / 65 cm / .038" □	H787106092035	5F / 65 cm / .038" □	H787106092045				

 <b>Newton 3</b>		 <b>Hockey Stick 1</b>		 <b>HeadHunter 1</b>		 <b>HeadHunter 3</b>	
4F / 100 cm / .035" □	H787106073035	3F / 100 cm / .025" □	H787106054015	4F / 100 cm / .035" □	H787106068015	4F / 100 cm / .035" □	H787106068025
5F / 100 cm / .035" □	H787106090035	4F / 100 cm / .035" □	H787106070015	5F / 100 cm / .035" □	H787106085015	5F / 100 cm / .035" □	H787106085025
5F / 100 cm / .038" □	H787106090065	5F / 100 cm / .035" □	H787106087015	5F / 100 cm / .038" □	H787106085035	5F / 100 cm / .038" □	H787106085045
		5F / 100 cm / .038" □	H787106087025				

 <b>Bentson 1</b>		 <b>Bentson 2</b>		 <b>Bentson 3</b>	
4F / 100 cm / .035" □	H787106065015	4F / 100 cm / .035" □	H787106065025	4F / 100 cm / .035" □	H787106065035
5F / 100 cm / .035" □	H787106082015	5F / 100 cm / .035" □	H787106082025	5F / 100 cm / .035" □	H787106082035
5F / 100 cm / .038" □	H787106082045	5F / 100 cm / .038" □	H787106082055	5F / 100 cm / .038" □	H787106082065


# SELECTIVE CATHETERS

5 per Box

<sup>†</sup>w/ 2 side holes




Description	UPN
3F / 65 cm / .025"	□ H787106062015
3F / 90 cm / .025"	□ H787106062025
3F / 100 cm / .025"	□ H787106062035
4F / 65 cm / .035"	□ H787106079015
4F / 90 cm / .035"	□ H787106079025



Description	UPN
5F / 65 cm / .035"	□ H787106096015
5F / 65 cm / .038"	□ H787106096035
5F / 90 cm / .035"	□ H787106096025
5F / 90 cm / .038"	□ H787106096045



Description	UPN
3F / 80 cm / .025"	□ H787106056015
4F / 80 cm / .035"	□ H787106072015
5F / 80 cm / .035"	□ H787106089015



Description	UPN
3F / 65 cm / .025"	□ H787106058015
4F / 65 cm / .035"	□ H787106074015
5F / 65 cm / .035"	□ H787106091015



3F / 65 cm / .025"	□ H787106060015
4F / 65 cm / .035"	□ H787106076015
4F / 100 cm / .035"	□ H787106076025
5F / 65 cm / .035"	□ H787106093015
5F / 65 cm / .038"	□ H787106093055
5F / 100 cm / .035"	□ H787106093025
5F / 100 cm / .038"	□ H787106093065




3F / 100 cm / .025"	□ H787106060035
4F / 100 cm / .035"	□ H787106076035
5F / 100 cm / .035"	□ H787106093035
5F / 100 cm / .038"	□ H787106093075



3F / 100 cm / .025"	□ H787106060045
4F / 100 cm / .035"	□ H787106076045
5F / 100 cm / .035"	□ H787106093045
5F / 100 cm / .038"	□ H787106093085



4F / 100 cm / .035"	□ H787106071015
5F / 100 cm / .035"	□ H787106088015
5F / 100 cm / .038"	□ H787106088025



3F / 100 cm / .025"	□ H787106100015
<sup>†</sup> 3F / 100 cm / .025"	□ H787106110015
4F / 100 cm / .035"	□ H787106099015
<sup>†</sup> 4F / 100 cm / .035"	□ H787106080015
5F / 100 cm / .035"	□ H787106097015
<sup>†</sup> 5F / 100 cm / .035"	□ H787106098015
5F / 100 cm / .038"	□ H787106097025
<sup>†</sup> 5F / 100 cm / .038"	□ H787106098025

PHYSICIAN'S SIGNATURE

*Specialized Catheter Options Available*

## IMPORTANT RISK INFORMATION

INDICATION FOR USE: AngioDynamics Angiographic Catheters are designed for use where angiographic diagnosis is indicated.

CAUTION: Federal (USA) law restricts these devices to sale by or on the order of a physician.

CONTRAINDICATIONS: Angiographic Catheters should not be used for any purpose other than those indicated in the instructions.

WARNINGS AND PRECAUTIONS: This device is sterilized by ethylene oxide and is intended for single patient use only. Do not

reuse or re-sterilize. Contents sterile in unopened, undamaged package. Do not use if opened or any sign of product damage is visible. AngioDynamics Angiographic Catheters should be used only by physicians with a thorough understanding of angiography and percutaneous interventional procedures. AngioDynamics 3 French Angiographic Catheters are not intended for intracranial use. Do not insert catheters directly through synthetic vascular grafts. Insert through a sheath introducer. AngioDynamics Angiographic Catheters are designed for use with specific guidewire diameters. The recommended

maximum guidewire diameter is specified on the catheter label. Optimal guidewire size and judicious use are recommended. Please see package insert for complete list of warnings and precautions.

POTENTIAL COMPLICATIONS: The following adverse reactions have been reported and are associated with the use of angiographic catheters: Thrombus formation, emboli, arterial wall damage, plaque dislodgment, hematoma, cardiac arrhythmias, myocardial infarction, stroke, and death.



USA > 14 Plaza Drive, Latham, NY 12110 > tel: 800-772-6446 or 518-798-1215 > fax: 518-798-1360

International > Haaksbergweg 75 (Margrietoren), 1101 BR, Amsterdam Z-O > The Netherlands

tel: +31 (0)20 753 2949 > fax: +31 (0)20 753 2939

[www.angiodynamics.com](http://www.angiodynamics.com)

\*AngioDynamics, the AngioDynamics logo, Omni, SOS Omni and AngioOptic are trademarks and/or registered trademarks of AngioDynamics Inc., an affiliate or a subsidiary.  
© 2015 AngioDynamics, Inc. All rights reserved. MLC 198 US Rev D