

AN EFFECTIVE,

SAFE AND PRACTICAL

ALTERNATIVE TO CONTINUOUS INFUSION OF THERAPEUTIC AGENTS



Features of the Pulse-Spray Infusion System

The Pulse-Spray infusion system by AngioDynamics supplies you with the tools you need to efficiently pulse your chosen theraputic agent into the target vessel.

- The Pulse-Spray infusion system can maximize the dispersion of the enzyme throughout the target occlusion, thereby reducing duration of treatment and reducing the systematic effects of the theraputic agent.1
- A study showed that high pressure pulsed theraputic agents shortened treatment time.²
- Unique fluid outlets, called Pressure Response Outlets, allow for an even distribution of fluid volume along the entire length of the clot³ resulting in a 12-fold advantage with the slit technology of the Pulse-Spray catheter over conventional
- · Finger flange allows users to increase injection force with small 1 ml syringe, resulting in high pressure bursts
- Dual check valve ensures pulsed therapeutic agent exits only from the catheter's pressure response outlets
- · Occluding ball wire occludes end hole of catheter, providing the proper force to active pressure response outlets
- Y-connector holds occluding ball wire in place during pulsed infusion
- Choice of 10 or 20 ml syringe to administer therapeutic agent during procedure

Pulse-Spray Infusion System Sets

UPN	Size	Length	Infusion Pattern
H78712500421	3F	90 cm	2 cm
H78712500420	3F	90 cm	5 cm
H78712500419	3F	90 cm	10 cm
H78712500418	3F	90 cm	20 cm
H78712500422	3F	135 cm	2 cm
H78712500417	3F	135 cm	5 cm
H78712500416	3F	135 cm	10 cm
H78712500415	3F	135 cm	20 cm
H78712500414	4F	90 cm	5 cm
H78712500413	4F	90 cm	10 cm
H78712500412	4F	90 cm	20 cm
H78712500411	4F	135 cm	5 cm
H78712500410	4F	135 cm	10 cm
H78712500409	4F	135 cm	20 cm
H78712500429	5F	45 cm	5 cm

UPN	Size	Length	Infusion Pattern
H78712500423	5F	45 cm	10 cm
H78712500430	5F	45 cm	15 cm
H78712500424	5F	45 cm	20 cm
H78712500408	5F	90 cm	5 cm
H78712500401	5F	90 cm	10 cm
H78712500402	5F	90 cm	20 cm
H78712500407	5F	90 cm	30 cm
H78712500427	5F	90 cm	40 cm
H78712500426	5F	90 cm	50 cm
H78712500406	5F	135 cm	5 cm
H78712500403	5F	135 cm	10 cm
H78712500404	5F	135 cm	20 cm
H78712500405	5F	135 cm	30 cm
H78712500428	5F	135 cm	40 cm
H78712500425	5F	135 cm	50 cm

Kit Includes: PRO infusion catheter, dual check valve, Y-connector, 1 ml syringe with fixed male luer lock and finger flange, 10 ml and 20 ml syringes, and occluding ball wire

Pulse-Spray Occluding Wires

UPN	Description	Guidewire	Catheter Length	Floppy Tip Length
H78712400701	Occluding Ball Wire	.035"	60 cm	2 cm
H78712400702	Occluding Ball Wire	.035"	109 cm	2 cm
H78712400703	Occluding Ball Wire	.035"	154 cm	2 cm
H78712400101	Occluding Wire	.018"	145 cm	10 cm
H78712400102	Occluding Wire	.018"	180 cm	10 cm
H78712400103	Occluding Wire	.018"	260 cm	10 cm

Pulse-Spray Accessories

UPN	Description	Qty/Box
H78712401101	Y-Connector with Touhy-Borst Adaptor	5
H78712400601	1 ml Syringe with Finger Flange	10
H78712400502	Dual Check Valve	10
H78712400501	Dual Check Valve with Y Connector	5
H78710900501	Bifurcated Connecting Line Non-Braided 1050 P.S.I.	10
H78712401701	Universal Pulsing Kit	5
H78712300801	Pulse*Spray Injector Delivery Set	5

- Chang R. et al. Pulse Spray Treatment of Subclavian and Jugular Venous Thrombi with Recombiant Tissue Plasminogen Activator. JVIR 1996; 7:845-851
- 2. Yusuf SW, et al. Prospective Randomised Comparative Study of Pulse Spray and Conventional Local Thrombolysis. European Journal of Vascular and Endovascular Surgery 1995; 10:136-141
 3. Cho KJ, Recinella DK. Pattern of Dispersion from a Pulse-Spray Catheter for Delivery of Thrombolytic Agents: Design, Theory and Results. *Academic Radiology* 1997; 4:210-216.
 4. Yusuf SW, et al. Immediate and Early Follow-up Results of Pulse Spray Thrombolysis in Patients with Peripheral Ischaemia. *British Journal of Surgery* 1995; 82:338-340.

Consult your AngioDynamics representative for country specific product availability.

IMPORTANT RISK INFORMATION

Indications, contraindications, warnings and instructions for use can be found in the instructions for use. Observe all instructions prior to use. Failure to do so may result in patient complications or death.

INDICATION FOR USE: AngioDynamics PULSE-SPRAY System, PRO Infusion Catheter, and its related components, are intended for the administration of fluids, including thrombolytic agents and contrast media, into the peripheral vasculature

CONTRAINDICATIONS: The PULSE-SPRAY System is contraindicated for use in the coronary vasculature and is not intended for the infusion of blood or blood products.

CAUTION: Federal (USA) law restricts these devices to sale by or on the order of a physician



USA > 14 Plaza Drive, Latham, NY 12110 > tel: 800-772-6446 or 518-798-1215 > fax: 518-798-1360 International > Haaksbergweg 75 (Margriettoren), 1101 BR, Amsterdam Z-O > The Netherlands tel: +31 (0)20 753 2949 > fax: +31 (0)20 753 2939

www.angiodynamics.com